



# UNITED STATES PATENT AND TRADEMARK OFFICE

*C/K*  
UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/530,234	07/06/2000	JOHN D. STEEVES	MBM1200	3942

7590 10/14/2005

LISA A. HAILE, PH.D.  
DLA PIPER RUDNICK GRAY CARY US LLP  
4365 EXECUTIVE DRIVE, SUITE 1100  
SAN DIEGO, CA 92121-2133

EXAMINER

CHERNYSHEV, OLGA N

ART UNIT PAPER NUMBER

1646

DATE MAILED: 10/14/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Response to Rule 312 Communication</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	09/530,234	STEEVES ET AL.	
	<b>Examiner</b>	<b>Art Unit</b>	
	Olga N. Chernyshev	1649	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

1. ☒ The amendment filed on 29 August 2005 under 37 CFR 1.312 has been considered, and has been:

a) ☐ entered.

b) ☐ entered as directed to matters of form not affecting the scope of the invention.


c) ☐ disapproved because the amendment was filed after the payment of the issue fee.

Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.

d) ☐ disapproved. See explanation below.

e) ☒ entered in part. See explanation below.

*The amendment to the Specification was entered in full. However, the drawings filed on August 29, 2005 are considered non-compliant for failing to meet the requirements of 37 CFR 1.121, as amended on June 30, 2003 (see 68 Fed. Reg. 38611, Jun. 30, 2003). Specifically, the drawings are not properly identified in the top margin as "Replacement Sheet", "New Sheet", or "Annotated Sheet" as required by 37 CFR 1.121(d). Appropriate correction is required.*

  
 Olga N. Chernyshev, Ph.D.  
 Primary Examiner  
 Art Unit: 1649

300